


10/806096



Docket No.: 250651US0

COMMISSIONER FOR PATENTS
ALEXANDRIA, VIRGINIA 22313



ATTORNEYS AT LAW

RE: U.S. Patent No.: 7,011,900
Applicants: Akihiko SEKI, et al.
Issue Date: March 14, 2006
For: MAGNETIC RECORDING MEDIUM
Group Art Unit: 1773
Examiner: RESIN, S.

SIR:

Attached hereto for filing are the following papers:

Request for Certificate of Correction
Certification of Correction (in Duplicate)

Our credit card payment form in the amount of **\$100.00** is attached covering any required fees. In the event any variance exists between the amount enclosed and the Patent Office charges for filing the above-noted documents, including any fees required under 37 C.F.R. 1.136 for any necessary Extension of Time to make the filing of the attached documents timely, please charge or credit the difference to our Deposit Account No. 15-0030. Further, if these papers are not considered timely filed, then a petition is hereby made under 37 C.F.R. 1.136 for the necessary extension of time. A duplicate copy of this sheet is enclosed.

06/13/2006 FHETEK11 00000026 7011900

01 FC:1811

100.00 DP

Respectfully submitted,

OBLON, SPIVAK, McCLELLAND,
MAIER & NEUSTADT, P.C.
Norman F. Oblon

Corwin P. Umbach, Ph.D.

Registration No. 40,211

Customer Number

22850

(703) 413-3000 (phone)
(703) 413-2220 (fax)

Certificate
JUN 14 2006
of Correction

DOCKET NO.: 250651US0



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

IN RE APPLICATION OF: Akihiko SEKI, et al.

PATENT NO.: 7,011,900

GROUP: 1773

ISSUED: March 14, 2006

EXAMINER: RESAN, S.

FOR: MAGNETIC RECORDING MEDIUM

REQUEST FOR CERTIFICATE OF CORRECTION

DIRECTOR OF THE UNITED STATES PATENT AND TRADEMARK OFFICE
ALEXANDRIA, VA 22313-1450

SIR:

The following is a Request for Certificate of Correction in Serial Number 10/806,096, now U.S. Patent Number 7,011,900.

In accordance with the provisions of Rule 322 of the Rules of Practice, which implement 35 USC 254, the U.S. Patent and Trademark Office is respectfully requested to issue a Certificate of Correction in the above-identified patent.

In light of the fact that the errors were the fault of our office and the U.S. Patent and Trademark Office, the required fee of \$100 is enclosed. The requested corrections are listed on FORM P.T.O. 1050.

Respectfully submitted,

OBLON, SPIVAK, McCLELLAND,
MAIER & NEUSTADT, P.C.
Norman F. Oblon

Corwin P. Umbach, Ph.D.
Registration No. 40,211

Customer Number

22850

Tel. (703) 413-3000
Fax. (703) 413-2220
(OSMMN 03/06)

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,011,900
DATED: March 14, 2006
INVENTOR(S): Akihiko SEKI, et al.

It is certified that an error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 1, line 21, "a-alumina" should read -- α -alumina--.
line 33, "an a phase ratio" should read --an α phase ratio--.

Column 6, line 23, "a-Fe₂O₃" should read -- α -Fe₂O₃--.
line 26, "a-Al₂O₃" should read -- α -Al₂O₃--.

Column 10, line 39, "a-Fe₂O₃" should read -- α -Fe₂O₃--.
line 40, "a-Al₂O₃" should read -- α -Al₂O₃--.

Column 11, line 60, "ss" should read -- σ s--.
line 67, "ss" should read -- σ s--.

Column 12, line 10, "a-FeOOH" should read -- α -FeOOH"--.
line 11, "a-FeOOH" should read -- α -FeOOH"--.
line 14, "a-FeOOH" should read -- α -FeOOH"--.
line 15, "a-FeOOH" should read -- α -FeOOH"--.
line 18, "a-FeOOH" should read -- α -FeOOH"--.
line 29, "a-FeOOH" should read -- α -FeOOH"--.
line 42, "a-FeOOH" should read -- α -FeOOH"--.
line 51, "a-FeOOH" should read -- α -FeOOH"--.
line 56, "a-FeOOH" should read -- α -FeOOH"--.
line 58, "a-FeOOH" should read -- α -FeOOH"--.
line 67, "a-FeOOH" should read -- α -FeOOH"--.

Mailing address of sender:

Patent No. 7,011,900

Customer Number

22850

Tel. (703) 413-3000
Fax. (703) 413-2220
(OSMMN 03/02)

No. of add'l copies
@ .30 per page



UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,011,900
DATED: March 14, 2006
INVENTOR(S): Akihiko SEKI, et al.

It is certified that an error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 13, line 2, "a-FeOOH" should read -- α -FeOOH"--.
line 5, "a-FeOOH" should read -- α -FeOOH"--.
line 9, "a-FeOOH" should read -- α -FeOOH"--.
line 23, "a-FeOOH" should read -- α -FeOOH"--.
line 30, "a-FeOOH" should read -- α -FeOOH"--.
line 31, "a-FeOOH" should read -- α -FeOOH"--.
line 34, "a-FeOOH" should read -- α -FeOOH"--.
line 35, "a-FeOOH" should read -- α -FeOOH"--.
line 62, "a-force" should read -- α force"--.

Column 14, line 2, "atomosphere" should read --atmosphere--.
line 4, "a-Fe₂O₃" should read -- α -Fe₂O₃--.
line 4, "a-FeOOH" should read -- α -FeOOH"--.
line 8, "a-Fe₂O₃" should read -- α -Fe₂O₃--.

Column 15, line 21, "a-alumina" should read -- α -alumina--.

Column 18, line 30, "a-Fe magnetic powder" should read -- α -Fe magnetic powder--.
line 32, "ss" should read -- σ s--.
line 34, "a-Al₂O₃" should read -- α -Al₂O₃--.
line 36, "a-Al₂O₃" should read -- α -Al₂O₃--.

Column 19, line 44, "a-Fe₂O₃" should read -- α -Fe₂O₃--.

Column 22, line 53, "a-Al₂O₃" should read -- α -Al₂O₃--.

Mailing address of sender:

Patent No. 7,011,900

Customer Number

22850

Tel. (703) 413-3000
Fax. (703) 413-2220
(OSMMN 03/02)

No. of add'l copies
@ .30 per page



UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,011,900
DATED: March 14, 2006
INVENTOR(S): Akihiko SEKI, et al.

It is certified that an error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 23, line 21, "a-Al₂O₃" should read --α-Al₂O₃--.
line 27, "a-Fe₂O₃" should read --α-Fe₂O₃--.
line 28, "a-Al₂O₃" should read --α-Al₂O₃--.
line 37, "a-Al₂O₃" should read --α-Al₂O₃--.
lines 49-50, "a-Fe magnetic powder" should read --α-Fe magnetic powder--.
line 51, "ss" should read --σs--.
line 53, "a-Fe magnetic powder" should read --α-Fe magnetic powder--.
line 60, "a-Al₂O₃" should read --α-Al₂O₃--.

Mailing address of sender:

Patent No. 7,011,900

Customer Number

22850

Tel. (703) 413-3000
Fax. (703) 413-2220
(OSMMN 03/02)

No. of add'l copies
@ .30 per page



UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,011,900
DATED: March 14, 2006
INVENTOR(S): Akihiko SEKI, et al.

It is certified that an error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 1, line 21, "a-alumina" should read -- α -alumina--.
line 33, "an a phase ratio" should read --an α phase ratio--.

Column 6, line 23, "a-Fe₂O₃" should read -- α -Fe₂O₃--.
line 26, "a-Al₂O₃" should read -- α -Al₂O₃--.

Column 10, line 39, "a-Fe₂O₃" should read -- α -Fe₂O₃--.
line 40, "a-Al₂O₃" should read -- α -Al₂O₃--.

Column 11, line 60, "ss" should read -- σ s--.
line 67, "ss" should read -- σ s--.

Column 12, line 10, "a-FeOOH" should read -- α -FeOOH"--.
line 11, "a-FeOOH" should read -- α -FeOOH"--.
line 14, "a-FeOOH" should read -- α -FeOOH"--.
line 15, "a-FeOOH" should read -- α -FeOOH"--.
line 18, "a-FeOOH" should read -- α -FeOOH"--.
line 29, "a-FeOOH" should read -- α -FeOOH"--.
line 42, "a-FeOOH" should read -- α -FeOOH"--.
line 51, "a-FeOOH" should read -- α -FeOOH"--.
line 56, "a-FeOOH" should read -- α -FeOOH"--.
line 58, "a-FeOOH" should read -- α -FeOOH"--.
line 67, "a-FeOOH" should read -- α -FeOOH"--.

Mailing address of sender:

Patent No. 7,011,900

Customer Number

22850

Tel. (703) 413-3000
Fax. (703) 413-2220
(OSMMN 03/02)

No. of add'l copies
@ .30 per page



UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,011,900
DATED: March 14, 2006
INVENTOR(S): Akihiko SEKI, et al.

It is certified that an error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 13, line 2, "a-FeOOH" should read -- α -FeOOH"--.
line 5, "a-FeOOH" should read -- α -FeOOH"--.
line 9, "a-FeOOH" should read -- α -FeOOH"--.
line 23, "a-FeOOH" should read -- α -FeOOH"--.
line 30, "a-FeOOH" should read -- α -FeOOH"--.
line 31, "a-FeOOH" should read -- α -FeOOH"--.
line 34, "a-FeOOH" should read -- α -FeOOH"--.
line 35, "a-FeOOH" should read -- α -FeOOH"--.
line 62, "a-force" should read -- α force"--.

Column 14, line 2, "atomosphere" should read --atmosphere--.
line 4, "a-Fe₂O₃" should read -- α -Fe₂O₃--.
line 4, "a-FeOOH" should read -- α -FeOOH"--.
line 8, "a-Fe₂O₃" should read -- α -Fe₂O₃--.

Column 15, line 21, "a-alumina" should read -- α -alumina--.

Column 18, line 30, "a-Fe magnetic powder" should read -- α -Fe magnetic powder--.
line 32, "ss" should read -- σ s--.
line 34, "a-Al₂O₃" should read -- α -Al₂O₃--.
line 36, "a-Al₂O₃" should read -- α -Al₂O₃--.

Column 19, line 44, "a-Fe₂O₃" should read -- α -Fe₂O₃--.

Column 22, line 53, "a-Al₂O₃" should read -- α -Al₂O₃--.

Mailing address of sender:

Patent No. 7,011,900

Customer Number

22850

Tel. (703) 413-3000
Fax. (703) 413-2220
(OSMMN 03/02)

No. of add'l copies
@ .30 per page



UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,011,900
DATED: March 14, 2006
INVENTOR(S): Akihiko SEKI, et al.

It is certified that an error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 23, line 21, "a-Al₂O₃" should read --α-Al₂O₃--.
line 27, "a-Fe₂O₃" should read --α-Fe₂O₃--.
line 28, "a-Al₂O₃" should read --α-Al₂O₃--.
line 37, "a-Al₂O₃" should read --α-Al₂O₃--.
lines 49-50, "a-Fe magnetic powder" should read --α-Fe magnetic powder--.
line 51, "ss" should read --αs--.
line 53, "a-Fe magnetic powder" should read --α-Fe magnetic powder--.
line 60, "a-Al₂O₃" should read --α-Al₂O₃--.

Mailing address of sender:

Patent No. 7,011,900

Customer Number

22850

Tel. (703) 413-3000
Fax. (703) 413-2220
(OSMMN 03/02)

No. of add'l copies
@ .30 per page

